



COMPETITION GUIDE

TURN ONE CRA PRO SERIES ▪ WINCHESTER 100
WINCHESTER SPEEDWAY

OCTOBER 9, 2026





Champion Racing Association
PO Box 186
Woodville, Wisconsin 54028
cra-racing.com
scott@mdmpromotions.net



EVENT INFORMATION

WINCHESTER 100

WINCHESTER SPEEDWAY

Competition Guide Contents:

Page 2 – Event Information

Page 3 – Schedule of Events

Page 4 – Grounds Map

Page 5 – Garage Area

Page 6 – Inspection Notice & Order

Page 7 – Inspection Notice Continued

Page 8 – Inspection Procedure

Page 9 – Practice & Qualifying

Page 10 – Race Format

Page 11 – Race Procedures

Event Name: Winchester 400 Race Weekend Presented by Vore's Welding & Steel

Race Name: Winchester 100

Sanctioning Body: Turn One CRA Pro Series Presented by Chevrolet Performance

Race: CRA Pro Series Points Race 9 of 9

Date: Friday, October 9, 2026

Rain Date: Saturday, October 10, 2026

TV Streaming: TrackTV & Racing America

Local Radio: n/a

Timing & Scoring: Race Monitor Mobile App

Winchester Speedway

2656 IN-32

Winchester, Indiana 47394

Shipping to Winchester Speedway

2656 IN-32

Winchester, Indiana 47394

Phone: 765-584-9701

Web: winchester-speedway.com

Event Promoter: Winchester Speedway

DIRECTORY					
Marty Melo	Series Owner	530-941-5642	marty@mdmpromotions.net	CRA	On-site
Scott Menlen	Series Director	586-201-0378	scott@mdmpromotoins.net	CRA	On-site
Rick Turner	Chief Technical Inspector	765-748-8820	rtrmotorsports26@gmail.com	CRA	On-site
Misty Melo	Administration	530-941-2487	misty@mdmpromotions.net	CRA	On-site
John Brolick	Hoosier Tire Distributor	708-603-0476	jbrolick@gmail.com	-	On-site
Jonathan Ramos	Media Director	786-877-3784	ramos@mdmpromotions.net	CRA	On-site
Eric Young	Photography	989-513-2740	eric@dreambiggermedia.com	CRA	On-site
Dan Redmond	Track Ops & Credentialing	765-215-6320	dan@winchester-speedway.com	Track	On-site

Winchester 100 Prize Money Schedule: 1) \$3,000, 2) \$1,500, 3) \$1,000, 4) \$850, 5) \$750, 6) \$650, 7) \$600, 8) \$550, 9) \$540, 10) \$530, 11) \$520, 12) \$510, 13-24) \$500, Additional Starters \$250, Tow \$150

Product Certificate Awards: Bassett Wheels, P3, \$100; Five Star Race Car Bodies, Hard Luck Award, \$100; Holly Performance Parts, P6, \$100; Longacre Racing, P10, \$100; MSD Ignition, P9, \$100; Simpson Race Products, P2, \$100; Swift Springs, P4, (1) Spring; The Joie of Seating, P7, \$300

Special Event Awards: n/a **CRA Platinum Bonus Program:** Contracted Teams 1-12) \$250.

Series Contingency Sponsors: Bassett Wheels, Chevrolet Performance, Five Star Race Car Bodies, Hamke Race Cars, HDfive, Holley Performance Parts, La Joie of Seating, Longacre Products, MSD Ignition, P1 Chassis, Pepper Jack Kennels, Port City Race Cars, Racing Electronics, Simpson Race Products, Sunoco Race Fuel, Swift Springs, Turn One Performance, VanDoorn Racing Development. All significant contributors to event purse, bonuses, and points fund.



SCHEDULE OF EVENTS
WINCHESTER 100
WINCHESTER SPEEDWAY

Thursday, October 8, 2026

8:00 AM - 4:00 PM Jeffery Earnhardt Driving School
2:00 PM Winchester 400 Golf Outing at Winchester Golf Course (Contact Kyle Purvis)
4:00-7:00 PM Optional Hauler Parking, Unloading, Credentialing | Pre-Race Party w/ Food, Drinks & Games!
7:00-10:00 PM Jeffery Earnhardt Driving School

Friday, October 9, 2026

9:30 AM Credential Office Opens
10:00 AM Garage Area Opens
TO FOLLOW CRA Registration & Draw Opens (at Series Trailer)
10:40 AM CRA Crew Chief Meeting (at Series Trailer)
11:00 AM CRA Technical Inspection Begins (by Schedule)
12:40 PM CRA Driver Meeting (at Series Trailer)
1:00 PM VCTS Driver Meeting (at Series Trailer)
1:30-2:15 PM Turn One CRA Pro Series Practice 1 (45 Minutes)
2:20-2:40 PM Vores Compact Touring Series Practice 1 (20 Minutes)
2:40-2:55 PM Modified Practice 1 (15 Minutes)
3:00-3:30 PM Turn One CRA Pro Series Final Practice (30 Minutes)
3:35-3:50 PM Street Stock Practice 1 (15 Minutes)
3:50-4:05 PM Late Model Sportsman Practice 1 (15 Minutes) | 4:00 PM CRA Qualifying Tire Released
4:05-4:20 PM Thunder Car Practice (15 Minutes) | 4:15 PM CRA Qualifying Inspection Begins
4:25-4:45 PM Vores Compact Touring Series Final Practice (20 Minutes)
4:45-5:00 PM Modified Practice 2 (15 Minutes)
5:00-5:15 PM Street Stock Practice 2 (15 Minutes)
5:15-5:30 PM Late Model Sportsman Practice 2 (15 Minutes)
5:30-5:45 PM Thunder Car Final Practice / Qualifying (15 Minutes)
5:45 PM Vores Compact Touring Series Group Qualifying | 5:45 PM CRA Approved Qualifying Adjustments
6:00 PM Turn One CRA Pro Series Qualifying
TO FOLLOW CRA Redraw (at Series Trailer)
6:30-6:55 PM CRA Driver Autograph Session (on Concourse)
7:00 PM Vores Compact Touring Series Jason Dietsch Trailer Sales 40
TO FOLLOW Thunder Car Saucy Sows 25
Move CRA Cars to Grid
CRA Driver Introductions
Invocation & National Anthem
Turn One CRA Pro Series Winchester 100



GROUDS MAP
WINCHESTER 100
WINCHESTER SPEEDWAY

Haulers use the main entrance off of highway 32. Proceed to the north lot (black on map) behind the main grandstands. Track officials will park your hauler. For those that would like to drive in to unload, please lineup on one side of the main entrance roadway (W Timber Lane). Do NOT block any roadways or gates, please.

Do not park crew cars in the hauler lot. Please use the designated lot on the map below.





GARAGE AREA
WINCHESTER 100
WINCHESTER SPEEDWAY

Credentials are available in the credential office located in the box office just outside the main gate, behind the grandstands. Minors are allowed in the pit area after completing a minor waiver with parent/legal guardian.

Passenger vehicles and haulers may NOT park in the garage area for this event.

Pit stalls are assigned by CRA Pro Series Owner Points with accommodating team cars and teams with cars competing in multiple races throughout the weekend event.

Teams not racing on Saturday or Sunday must remove pit equipment on Friday night so that ASA teams can move in on Saturday morning.





ORDER OF INSPECTION & TECHNICAL NOTICE

WINCHESTER 100
WINCHESTER SPEEDWAY

MSD Ignition Program

Cars are required to compete with Series provided MSD Ignition Box Trays. Please see Turn One CRA Pro Series 2026 General Rules & Procedures (Section 8-B) for Ignition Program rules as described in the Rulebook. It is the responsibility of the team to have the car prepared to install the Series provided MSD Ignition Box Tray without altering any part of the ignition box tray. Series provided Ignition Box Trays include the following components, which may not be altered or replaced: MSD Ignition Box part #6427 6CT, MSD Ignition Coil part #8252, Quick Car Wiring Harness part #50-2053, and Quick Car ignition box tray. Tampering with and/or attempting to manipulate any component of the Series provide Ignition Box Tray is strictly prohibited.

Technical Notices & Bulletins

CRA Technical Notice - Addressing Front Nose Return Flange (August 29, 2026)
ABC Rule Book, Body Pannel Specifications, Front Nose, Rule 10:

The bottom return flange on the ABC Nextgen nose may be replaced if worn, provided it is restored to the original manufactured dimensions as supplied by Five Star, not to exceed 1 1/4 inch in return.

For clarification, body braces may be attached directly to the return flange. Additional mounting brackets, tabs, etc., that result in extending the flange (1.25" max.) are not allowed.

CRA Technical Notice - Addressing GM 604 Engine Specifications (Sept. 18)
SEAL Engine Specifications, GM 604 Rebuilt Engine, Rings:
2mm x 1.5mm x 4mm

For clarification, back cutting, ring spacers, gapless rings, and/or gas porting of any kind is prohibited.

SEAL Engine Specifications, GM 604 Rebuilt Engine, Lifters:
GM Part # 5234890 or equivalent

For clarification, Johnson 2110R and Comp Cams 875 series lifters are not deemed as equivalent.

Please note, where allowed by the rules, the word 'equivalent' shall mean: exact same dimensions, weight, configuration, surface, material type, relative pricing and performance.

CRA Technical Notice – Addressing Front Grill Screens (September 23, 2026)

ULRA Specifications & Guidelines, Eligible Cars & Body Guidelines – Section A:

11) The standard opening for the grill screen area, as approved for manufacturers' production, must be maintained at all times. Only ABC manufacturers standard mesh screen may be used for the radiator opening in the nose.

For clarification, although the grill screen is not currently an ABC stamped component, in accordance with the above rule, only a Five Star or AR manufactured grill screen may be used. Custom grill screens will not be permitted for use at the remaining CRA Pro Series events.

Friday Inspection Schedule

TIME	TEAM
11:00	71 Blake Rowe
11:05	14 Chase Pinsonneault
11:10	33 Albert Francis
11:15	711 Gabrielle Grigsby
11:20	23 Billy VanMeter
11:25	28 Kevin Cremonesi
11:30	87 Chloe Mazzagatti
11:35	22 Evan Varney
11:40	4 Tyler Lupton
11:45	8 Cole Munson
11:50	24 Sam Johnson
11:55	1 Jon Beach
12:00	1 Ryan Fleming
12:05	11 Jaden Cretacci
12:10	17 Danny Knoll
12:15	63 Cassten Everidge
12:20	9 Chase Burda
12:25	32 Chris Shannon
12:30	55 Billy Hayes
12:35	3 Brian Gray
12:40	83 JP Crabtree

**TECHNICAL NOTICE (CONTINUED)**WINCHESTER 100
WINCHESTER SPEEDWAY**CRA Technical Notice – Addressing Ride Hights (September 29, 2026)**

ULRA Specifications & Guidelines, Eligible Cars & Body Guidelines – Section A:

21/18) Minimum nose, body and frame height is 4" with a maximum of 8" while in tech for the purposes of tech inspection.

This will be enforced at upcoming events. Please plan accordingly.

CRA Technical Bulletin - Addressing Tread Width at Winchester (September 30, 2026)

ULRA Specifications & Guidelines, Section G Suspension, Rule 4:

66-inch maximum tread width for all cars.

Cars will be allowed an additional ¼" tread width (maximum 66 ¼") at the following event: October 9 – Winchester Speedway.

This is a common precaution often implemented for events at Winchester Speedway.

CRA Technical Bulletin - Addressing Vehicle Engine & Weight (October 5, 2026)

ULRA Specifications & Guidelines, Section B Engine, Section 2 Engine Options, Rule 4:

McGunnegill Ford # 425LM with 1.5 rockers. Maximum 6300 rpm.

This engine package will receive a 50 lbs. weight break (2,750 lbs.) at the following event: October 9 - Winchester Speedway.

The Chevrolet Box Stock engine will remain at 2,700 lbs. minimum base weight, the Chevrolet Rebuilt 604 engine will remain at 2,750 lbs. minimum base weight, and the Ford Blue Oval engine will remain at 2,800 lbs. minimum base weight.

In the interest of fair competition, Series Officials reserve the right to adjust weights at the event, if deemed necessary.

CRA Technical Notice – Addressing Front Grill Screens (October 5, 2026)

ULRA Specifications & Guidelines, Eligible Cars & Body Guidelines – Section A:

11) The standard opening for the grill screen area, as approved for manufacturers' production, must be maintained at all times. Only ABC manufacturers standard mesh screen may be used for the radiator opening in the nose.

For clarification, although the grill screen is not currently an ABC stamped component, in accordance with the above rule, only a Five Star or AR manufactured grill screen may be used. Custom grill screens will not be permitted for use at the remaining CRA Pro Series events. **It has been determined that adding or attaching a stiffening device to the grill screen is a manipulation of the manufactures standard grill screen and is not permitted.**

TECHNICAL INSPECTION PROCEDURE

WINCHESTER 100
WINCHESTER SPEEDWAY

General Procedures

It is required that the Crew Chiefs attend the scheduled Crew Chief Meeting [at 10:40 AM]. Please have a team representative draw prior to the Crew Chief Meeting. The draw conducted at the series trailer is the same draw used for ignition boxes and qualifying order.

Lead weight must be painted white with car number marked.

Any safety infractions found during inspection must be rectified prior to Practice 1.

Cars must display series windshield and required contingency decals and a transponder is required to be on the car at all times the car is on track.

Headlight decals, grill decals, and roof numbers are required.

No scuffing tires in the garage area, on pit road, or around track safety workers/officials.

Courtesy Laps: Any team (car) that has been on track and needs to go to a backup car must notify Chief Technical Inspector and upon approval could be given the following options; 1) Will be given safety laps, but must start at the rear of the field, 2) Qualify following normal procedures with no safety laps.

Technical Inspection

All cars are required to go through the inspection line, on Friday, at the designated time. Times are assigned by order of entries with platinum teams ahead of standard entries. Tech line stations include but are not limited to templates, referee, and scales. Safety, Under Car, and Under Hood inspection will be performed in the teams pit stalls.

Please have driver safety gear readily available, car on jackstands with wheels removed, hood and decklids removed in preparation for inspection at the pit stalls. Cars failing safety inspection may not take to the track until all infractions are rectified.

Cars shall have 30 lbs. of air in the right side and 20 lbs. in the left side tires while in the inspection area.

Weight will be checked with driver sitting in driver seat, steering wheel in place with hands on steering wheel, and helmet on head or in lap.

A maximum of four crew members may be with the car in the inspection area.

Qualifying Inspection

Car must be on the ground, ready for inspection, within 45 minutes of the conclusion of Final Practice [4:15 PM]. If additional time is needed for mechanical reasons, teams must get permission from the Chief Technical Inspector prior to the time in which cars are required to be on the ground. Cars failing to present for inspection (this includes car being late to inspection, driver being late for inspection, cars not on the ground) at the appropriate time may be placed under penalty and forfeit the fastest of their two qualifying lap times.

Please have ignition box cleaned prior to inspection.

Please have sway bar set before inspection.

Cars failing qualifying inspection will have one attempt to resolve the infraction(s). If multiple attempts are needed to rectify the infraction, the car may be placed under penalty and forfeit the fastest of their two qualifying lap times.

Once the car enters the inspection area (and impound area), crews may not lift, tug, or adjust the car in any manner. Crew members, including the driver, are NOT permitted to be with the race car once the car is parked in the impound area without an official present. Please park the car, fasten the window net, crew may lower air pressure, and then leave the area. Crew may return to the car at the schedule approved adjustment time. Tampering with the car in the impound area may result in penalties including forfeiting the fastest of the two qualifying lap times.



PRACTICE & QUALIFYING
WINCHESTER 100
WINCHESTER SPEEDWAY

Practice Procedures

Car numbers in all locations, windshield valance, and contingency decals as described in the rulebook, and series administered transponder are required to be installed on the race car for Practice.

A Spotter or Crew Chief is required to monitor race control via scanner during Practice (467.7875). It is highly recommended to have a spotter in the spotterstand for practice sessions at Winchester Speedway.

For this event, teams will unload and work pit road. Cars will use pit road to enter and exit the race track. All adjustments and/or servicing of the race car shall be performed within the team's designated pit box on pit road.

Pit Road Speed is 30 MPH. No scuffing tires on pit road. No ATVs, Golf Cars, Scooters, etc. on pit road when the track is hot.

Practice will remain green for the session. Cars will blend in, at the command of the pit out official (or light) with a maximum of approx. 12 cars on track at a time. If a yellow flag is displayed, all cars are to return to pit lane immediately. Cars that were on track at the time of the caution have priority to return first when practice resumes.

Failure to comply with practice/pit procedures including but not limited to; staging, speeding in the garage, running the stop sign, scuffing tires, etc., may result in penalties including loss of practice time.

Approved Qualifying Adjustments

Generators may be permitted in the staging lane once all cars have passed inspection and/or permission is given by series officials. Cooldown units are not allowed. Use of such units are subject to severe penalty.

At the designated time [5:45 PM] crews may make approved qualifying adjustments. Those adjustments are tape on the grill screen and brake ducts, air pressure, check lug nuts, and driver comfort. A maximum of four crew members are allowed at the car.

Qualifying

The order of qualifying is determined by draw. Cars must qualify in the proper order. If a car misses their position, the team will be placed on a 5-minute clock to present the car for qualifying. Once the 5-minutes expire, that car may not qualify.

Qualifying will be conducted one car at a time. Cars will be sent on to the race track from turn 2. Each car will receive one warm up lap and two laps on the clock. Cars may only make one qualifying attempt. An attempt is officially made when the car passes the finish line to begin the first lap on the clock.

After the checkered flag, cars will report directly to impound on pit road from turn four. This is an impound race. Crews may not touch the car until given permission to do so by series officials, inside the impound area.

In the event of inclement weather or time delays, series at its discretion may change the format of qualifying to a group qualifying format. If qualifying is canceled, the field will be set by CRA Pro Series 2026 Owner Standings. Car Owners that have not earned any points in 2026 will be lined up by order of entry behind those with points.

Post-Qualifying Impound

Cars will be impounded after qualifying. The only adjustments allowed in impound are air pressure, stagger (may be checked with a stagger stick only), check and tighten lug nuts, tape on the nose and brake ducts, and driver comfort. A maximum of two crew members are allowed at the car. Once adjustments are complete, crews must leave car and may not return until given permission to do so by series official. Teams may not pull out of impound or work on race car in impound. Working on, or attempting to work on, an impounded race car constitutes an unapproved adjustment and is subject to penalties. If permitted by the Chief Technical Inspector/Series Director, teams may rectify only the declared mechanical failure(s) and will forfeit their starting position. Any attempts to make additional adjustments to the race car outside of the declared mechanical issue may result in lap penalties.



RACE FORMAT
WINCHESTER 100
WINCHESTER SPEEDWAY

Feature Race

The race is 100 laps. Caution laps do not count. There will be a competition caution after 50 consecutive green flag laps. There will not be a competition caution within the last 10 laps of the race. The event can go over the advertised number of laps if an 'overtime finishing procedure' is required. The race is complete after three overtime finishing procedure attempts.

Starting Lineup

The fastest eight qualifiers will draw for starting positions 1 through 8. The individual draw will never be greater than half the field. For this event, the draw will take place at the series trailer following qualifying. Feature starting positions 9 through 20 are determined by qualifying. Feature starting positions 21 and 22 are determined by the finishing results of the last chance race. Feature starting positions 23 and 24 will be awarded to the highest car in CRA Pro Series 2026 championship owner point standings. Additional starters may be added.

Pitting Procedure

Cars shall remain single file behind the pace car during the caution. Do not pullup to pit. When pit road is open, remain in line until your car reaches the designated pit entry point.

The pit road speed limit is 30 mph.

Cars must pit within their designated pit box.

Only traditional tools and procedures may be used during a pit stop. All pit equipment and crew must remain behind the pit wall until your car is in the box. A maximum of 5 crew members allowed to service the car. No shorts or open toe shoes are allowed for over the wall crew members.

Teams may take tires and fuel at the same time. Teams may rotate tires at any time. All tire changes must be approved by a pit road official. Only scuff tires may be used for approved tire changes. Unapproved tire changes may result in a two-lap per tire penalty.

Pit Road infractions including but not limited to improper pit entry, improper pit exit, speeding, running the stop board, too many men over the wall, equipment leaving the box, etc. will result in a penalty of restarting at the tail of the field.

Tires

The approved tires for competition are Hoosier Racing Tires F45 left side and ST3* right side. This is a 4-tire maximum race. Teams may have a maximum of 4 scuff tires in their pit box, during the race, to be used as emergency spares.

Qualifying tires will be impounded until the designated release time [4:00 PM] after Final Practice. Tires must be scanned/stamped prior to leaving the impound area. Cars must qualify on sticker tires, from impound, purchased at the event, and start the race on the same tires used for qualifying.

All tires in the impound area should be stacked four high. The only items allowed in the impound area are a tire gauge, tire tape, and air hose. All wheels shall display car number decal.

Fuel

This is a 10-gallon minimum Sunoco 110 fuel required purchase event. Fuel shall be purchased before qualifying inspection.

RACE PROCEDURES

Initial Start: Flagman starts the race. No jumping a start or changing lanes before the finish line. If a green flag lap is not completed on the initial start, there will be a complete restart with all cars back in their original starting position except for any cars that are penalized, receive assistance, or cars that pit.

Yellow Flag: There will be no racing back to the caution. When the yellow flag is displayed, all cars must slow to a caution pace and bunch up as quickly as safety allows, so safety crews can work on track. All cars must get single file and stay single file. Lineup disputes will be settled by race control. Failure to comply can result in penalties including being placed at the rear of the field and up to disqualification. No tire scuffing around workers on track. **Pace car speed is 35 MPH.**

Cars Involved in the Caution: Only car(s) directly involved in bringing out the caution will go to the tail of the field. Any cars that spin or stop to avoid and were not directly involved with the initial cause of the caution, will get their spots back if they do not receive assistance or go to pit road. Rough driving will not be tolerated. If contact with a car causes a yellow flag and the contact is not a "racing incident," that car will also be sent to the tail. Rough driving can result in penalties including being sent to the tail of the field, pass-through penalty, lap penalties, and/or possible disqualification from the event. Cars deemed intentionally stopping or creating their own caution will receive a two-lap penalty.

Restart: Restarts will always take place in the box coming off turn four. The restarts will be double file and will use the choose rule described below for restart lineup. The leader of the race is the control car and must maintain pace car speed (set by Race Control). The front row shall be side-by-side. Once the pace car leaves the field, the leader maintains **pace/restart speed (45 MPH)** until the box. No slowing, weaving, brake checking, increase or decrease in speed once the pace car leaves the field. The leader accelerates first, at their descension, once in the box, before the end of the box. No jumping a start. If a restart violation occurs Race Control reserves the right to call the start back by displaying the yellow flag. The infringing car(s) will be assessed a warning. Two restart violations result in a penalty with the infringing car(s) restarting at the tail of the lead lap. Cars will not re-choose, rather the row will move up. On restarts, cars must stay in their lane and may not pass until the finish line. Changing lanes may result in a pass-through penalty. If a green flag lap is not completed before a yellow comes out all cars should go back to their prior position except for any cars that are penalized, receive assistance, or pit.

Restart Lineup: The field will be realigned according to the last completed lap. The field will be realigned in the following order: lead lap cars, lead lap cars that pitted, lapped cars, lapped cars that pitted, **free pass car, wave around cars, lead lap cars under penalty, lapped cars under penalty.** Field will choose at designated point just past the finish line when instructed to by race control. All cars are eligible to choose at the cone. Restarts will be double file. Cars may choose the inside or outside lane as they approach the choose cone. If a car strikes the choose cone, changes lanes after the cone, deemed impeding or otherwise slowing down the choose process, that car must restart at the tail of the longest line. Cars that miss the choose lap will realign at the tail of the longest line. Any disputes in track position will be resolved by a call from race control. Failure to lineup in proper position may result in a pass-through penalty.

Red Flag: All cars must stop as quickly as safely possible when the red flag is displayed. Cars may go to the pits for crews to work on them, only after they have received approval from race control to do so. Cars pitting under red must restart at the tail of the field.

Black Flag: Cars that receive the black flag must go to pit road immediately. If a car does not go to pit road within three laps, that car's scoring will stop until the situation is rectified. Check with the spotter for guidance from race control.

Free Pass: At the time the caution comes out, the first car behind the leader one lap down will be deemed to be the Free Pass (if Free Pass is the cause of the yellow then it would go to the next car in line). Free pass will stay in their position (Free Pass may pit if they elect to and still retain the Free Pass), until directed to pass the pace car after the pit cycle is completed. No free pass will be awarded in the last 10 laps of the event.

Slow Cars: Slow cars will be advised in the drivers meeting which lane to utilize in the presence of lead lap cars during the race. Lapped cars that create problems for lead lap cars may be penalized. Lapped cars should let the leaders go by on the preferred lane and then resume racing. Lapped cars that are repeatedly passed without giving the preferred lane during the race may be penalized. Cars fighting to stay on the lead lap are not forced to yield to the leaders until the leader has passed them. Minimum speed is 120% of the fastest lap from Practice.

Spotters: Spotters are required to be in the designated spotters stand for all on track activities. Only one spotter per team is allowed in the spotter stand, no guest. Spotters must have the ability to listen to race control via a standard electronic scanner or dedicated radio at all times. The frequency for this event is CRA 467.7875. If the spotter leaves or is removed from the spotter's stand, the car will be black flagged.

Post-Race: The top five finishers report directly to the victory lane area. Crews may touch the cars only how and when they are directed to by series officials. All cars are subject to be captured by officials for post-race technical inspection.